

FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark Office

Atty Docket No.

P0963R1D1

Serial No.

09/313,299

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant

James Lee et al.

Filing Date

17 May 1999

Group

not assigned

U.S. PATENT DOCUMENTS

Examiner Initials		Document Number	Date	Name	Class	Subclass	Filing Date
✓	* 1	5,194,596	16.03.93	Tischer, E. et al.	530	299	14.12.89
✓	2	5,219,739	15.06.93	Tischer et al.	435	69.4	27.07.90
✓	3	5,326,695	05.07.94	Andersson, M. et al.	435	70.1	15.05.92

FOREIGN PATENT DOCUMENTS

Examiner Initials		Document Number	Date	Country	Class	Subclass	Translation Yes	No
✓	* 4	WO 90/13649	15.11.90	PCT				
✓	* 5	WO 93/15201	05.08.93	PCT				
✓	* 6	WO 94/01576	20.01.94	PCT				
✓	* 7	WO 94/10202	11.05.94	PCT				
✓	* 8	WO 94/11499	26.05.94	PCT				
✓	* 9	WO 95/21613	17.08.95	PCT				
✓	*10	WO 95/21865	17.08.95	PCT				
✓	*11	WO 95/21868	17.08.95	PCT				
✓	*12	WO 95/24473	14.09.95	PCT				
✓	13	WO 96/39421	12.12.96	PCT				
✓	14	WO 96/39515	12.12.96	PCT				

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

✓	*15	Aprelikova et al., "FLT4, a Novel Class III Receptor Tyrosine Kinase in Chromosome 5q33-gter1" <u>Cancer Research</u> 52:746-748 (1992)
✓	*16	Aviv et al., "Purification of Biologically Active Globin Messenger RNA by Chromatography on Oligothymidylic Acid-Cellulose" <u>Proc. Natl. Acad. Sci. USA</u> 69(6):1408-1412 (June 1972)
✓	*17	Bennett et al., "Cloning and Characterization of HTK, a Novel Transmembrane Tyrosine Kinase of the EPH Subfamily" <u>Journal of Biological Chemistry</u> 269(19):14211-14218 (1994)
✓	*18	Bennett et al., "Extracellular Domain-IgG Fusion Proteins for Three Human Natriuretic Peptide Receptors. Hormone Pharmacology and Application to Solid Phase Screening of Synthetic Peptide Antisera" <u>The Journal of Biological Chemistry</u> 266(34):23060-23067 (Dec 5, 1991)
✓	*19	Borg et al., "Biochemical characterization of two isoforms of FLT4, a VEGF receptor-related tyrosine kinase" <u>Oncogene</u> 10:973-984 (1995)
✓	*20	Cathala et al., "Laboratory Methods A Method for Isolation of Intact, Translationally Active Ribonucleic Acid" <u>DNA</u> 2(4):329-335 (1983)
✓	*21	de Vries et al., "The fms-like tyrosine kinase, a receptor for vascular endothelial growth factor" <u>Science</u> 255:989-991 (1992)
✓	*22	Ferrara et al., "Molecular and biological properties of the vascular endothelial growth factor family of proteins" <u>Endo. Rev.</u> 13:18-32 (1992)
✓	*23	Finnerty et al., "Molecular Cloning of Murine FLT and FLT4" <u>Oncogene</u> 8:2293-2298 (1993)
✓	*24	Folkman and Klagsbrun, "Angiogenic factors" <u>Science</u> 235:442-447 (1987)

Examiner

Date Considered

7.26.02

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark Office

Atty Docket No.

P0963R1D1

Serial No.

09/313,299

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant

James Lee et al.

Filing Date

17 May 1999

Group

not assigned

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

*25	Folkman and Shing, "Angiogenesis" <u>Journal of Biological Chemistry</u> 267:10931-10934 (1992)
*26	Folkman, J., "Angiogenesis in cancer, vascular, rheumatoid and other disease" <u>Nature Medicine</u> 1(1):27-31 (1995)
*27	Fong et al., "Role of the Flt-1 receptor tyrosine kinase in regulating the assembly of vascular endothelium" <u>Nature</u> 376:66-70 (1995)
*28	Galland et al., "Chromosomal Localization of FLT4, a Novel Receptor-Type Tyrosine Kinase Gene" <u>Genomics</u> 13:475-478 (1992)
*29	Galland et al., "The FLT4 Gene Encodes a Transmembrane Tyrosine Kinase Related to the Vascular Endothelial Growth Factor Receptor" <u>Oncogene</u> 8:1233-1240 (1993)
*30	Godowski et al., "Reevaluation of the Roles of Protein S and Gas6 as Ligands for the Receptor Tyrosine Kinase Rse/Tyro 3" <u>Cell</u> 82:355-358 (August 11, 1995)
*31	Hamel et al., "Neurotrophin gene expression by cell lines derived from human gliomas" <u>J. Neurosci. Res.</u> 34:147-157 (1993)
*32	Hatva et al., "Expression of endothelial cell-specific receptor tyrosine kinases and growth factors in human brain tumors" <u>Am. J. Pathol.</u> 146:368-378 (1995)
*33	Hauser and Weich, "A heparin-binding form of placenta growth factor (PlGF-2) is expressed in human umbilical vein endothelial cells and in placenta" <u>Growth Factors</u> 9:259-268 (1993)
*34	Holmes et al., "Structure and Functional Expression of a Human Interleukin-8 Receptor" <u>Science</u> 253(5025):1278-1282 (Sep 13, 1991)
*35	Houck et al., "The vascular endothelial growth factor family: identification of a fourth molecular species and characterization of alternative splicing of RNA" <u>Mol. Endocrinol.</u> 5:1806-1814 (1991)
*36	Imbert et al., "Characterization of a yeast artificial chromosome from human chromosome band 13q12 containing the FLT1 and FLT3 receptor-type tyrosine kinase genes" <u>Cytogenet. Cell. Genet.</u> 67(175-177):175-177 (1994)
*37	Joukov, V. et al., "A Novel Vascular Endothelial Growth Factor, VEGF-C, is a Ligand for the Flt4 (VEGFR-3) and KDR (VEGFR-2) Receptor Tyrosine Kinases" <u>EMBO Journal</u> 15(2):290-298 (1996)
*38	Kaipainen et al., "Expression of the fms-like tyrosine kinase 4 gene becomes restricted to lymphatic endothelium during development" <u>Proc. Natl. Acad. Sci.</u> 92:3566-3570 (1995)
*39	Kaipainen et al., "The Related FLT4, FLT1, and KDR Receptor Tyrosine Kinases Show Distinct Expression Patterns in Human Fetal Endothelial Cells" <u>Journal of Experimental Medicine</u> 178:2077-2088 (1993)
*40	Klagsbrun and D'Amore, "Regulators of angiogenesis" <u>Ann. Rev. Physiol.</u> 53:217-239 (1991)
*41	Kozak, M., "Compilation and analysis of sequences upstream from the translational start site in eukaryotic mRNAs" <u>Nucl. Acids. Res.</u> 12:857-872 (1984)
*42	Lasky et al., "DNA sequence analysis of the type-common glycoprotein-D genes of herpes simplex virus types 1 and 2" <u>DNA</u> 3(1):23-29 (1984)
*43	Lee, J. et al., "Vascular Endothelial Growth Factor-Related Protein: A Ligand and Specific Activator of the Tyrosine Kinase Receptor Flt4" <u>Proc. Natl. Acad. Sci.</u> 93:1988-1992 (1996)
*44	Maglione et al., "Isolation of a human placenta cDNA coding for a protein related to the vascular permeability factor" <u>Proc. Natl. Acad. Sci.</u> 88:9267-9271 (1991)

Examiner

Date Considered

7-26-00

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449		U.S. Dept. of Commerce Patent and Trademark Office		Atty Docket No. P0963R1D1	Serial No. 09/313,299
LIST OF DISCLOSURES CITED BY APPLICANT (Use several sheets if necessary)				Applicant James Lee et al.	
				Filing Date 17 May 1999	Group not assigned
OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)					
<i>[initials]</i>	*45	Maglione et al., "Two alternative mRNAs coding for the angiogenic factor, placenta growth factor (PlGF), are transcribed from a single gene of chromosome 14" <u>Oncogene</u> 8:925-931 (1993)			
<i>[initials]</i>	*46	Matthews et al., "A receptor tyrosine kinase cDNA isolated from a population of enriched primitive hematopoietic cells and exhibiting close genetic linkage to c-kit" <u>Proc. Natl. Acad. Sci.</u> 88:9026-9030 (1991)			
<i>[initials]</i>	*47	Millauer et al., "High affinity VEGF binding and developmental expression suggest Flk-1 as a major regulator of vasculogenesis and angiogenesis" <u>Cell</u> 72:835-846 (1993)			
<i>[initials]</i>	*48	Miller et al., "Vascular endothelial growth factor/vascular permeability factor is temporally and spatially correlated with ocular angiogenesis in a primate model" <u>Am. J. Pathol.</u> 145:574-584 (1994)			
<i>[initials]</i>	*49	Mustonen and Alitalo, "Endothelial receptor tyrosine kinases involved in angiogenesis" <u>Journal of Cell Biology</u> 129:895-898 (1995)			
<i>[initials]</i>	*50	Oelrichs et al., "NYK/FLK-1: a putative receptor protein tyrosine kinase isolated from E10 embryonic neuroepithelium is expressed in endothelial cells of the developing embryo" <u>Oncogene</u> 8:11-18 (1993)			
<i>[initials]</i>	*51	Pajusola et al., "FLT4 Receptor Tyrosine Kinase Contains Seven Immunoglobulin like loops and is Expressed in Multiple Human Tissues and Cell Lines" <u>Cancer Research</u> 52:5738-5743 (1992)			
<i>[initials]</i>	*52	Pajusola et al., "Signalling properties of FLT4, a proteolytically processed receptor tyrosine kinase related to two VEGF receptors" <u>Oncogene</u> 9:3545-3555 (1994)			
<i>[initials]</i>	*53	Pajusola et al., "Two Human FLT4 Receptor Tyrosine Kinase Isoforms with Distinct Carboxy Terminal Tails are Produced by Alternative Processing of Primary Transcripts" <u>Oncogene</u> 8:2931-2937 (1993)			
<i>[initials]</i>	*54	Park et al., "Placenta growth factor. Potentiation of vascular endothelial growth factor bioactivity, in vitro and in vivo, and high affinity binding to Flt-1 but not to Flk-1/KDR" <u>Journal of Biological Chemistry</u> 269(41):25646-25654 (1994)			
<i>[initials]</i>	*55	Paulsson et al., "The Balbiani ring 3 gene in Chironomus tentans has a diverged repetitive structure split by many introns" <u>J. Mol. Biol.</u> 211:331-349 (1990)			
<i>[initials]</i>	*56	Pennica et al., "Expression Cloning of Cardiotrophin 1, a Cytokine That Induces Cardiac Myocyte Hypertrophy" <u>Proceedings of the National Academy of Sciences, USA</u> 92:1142-1146 (February 1995)			
<i>[initials]</i>	*57	Perlman and Halvorson, "A putative signal peptidase recognition site and sequence in eukaryotic and prokaryotic signal peptides" <u>J. Mol. Biol.</u> 167:391-409 (1983)			
<i>[initials]</i>	*58	Quinn et al., "Fetal liver kinase 1 is a receptor for vascular endothelial growth factor and is selectively expressed in vascular endothelium" <u>Proc. Natl. Acad. Sci.</u> 90:7533-7537 (1993)			
<i>[initials]</i>	*59	Reynolds et al., "Angiogenesis in the female reproductive system" <u>FASEB J.</u> 6:886-892 (1992)			
<i>[initials]</i>	*60	Risau et al., "Vasculogenesis and angiogenesis in embryonic-stem-cell-derived embryoid bodies" <u>Development</u> 102:471-478 (1988)			
<i>[initials]</i>	*61	Sait et al., "The kinase insert domain receptor gene (KDR) has been relocated to chromosome 4q11-->q12" <u>Cytogenet. Cell. Genet.</u> 70:145-146 (1995)			
<i>[initials]</i>	*62	Shalaby et al., "Failure of blood-island formation and vasculogenesis in Flk-1-deficient mice" <u>Nature</u> 376:62-66 (1995)			
<i>[initials]</i>	*63	Shibuya et al., "Nucleotide sequence and expression of a novel human receptor-type tyrosine kinase gene (flt) closely related to the fms family" <u>Oncogene</u> 5:519-524 (1990)			
<i>[initials]</i>	*64	Spritz et al., "A YAC contig spanning a cluster of human type III receptor protein tyrosine kinase genes (PDGFRA-KIT-KDR) in chromosome segment 4q12" <u>Genomics</u> 22:431-436 (1994)			
Examiner <i>[signature]</i>				Date Considered 7-26-00	
*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.					

FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark OfficeAtty Docket No.
P0963R1D1Serial No.
09/313,299


LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant
James Lee et al.Filing Date
17 May 1999Group
not assigned

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

- | | |
|-----|---|
| *65 | Suva et al., "A parathyroid hormone-related protein implicated in malignant hypercalcemia: cloning and expression" <u>Science</u> 237(4817):893-896 (Aug. 1987) |
| *66 | Terman et al., "Identification of a new endothelial cell growth factor receptor tyrosine kinase" <u>Oncogene</u> 6:1677-1683 (1991) |
| *67 | Terman et al., "Identification of the KDR tyrosine kinase as a receptor for vascular endothelial cell growth factor" <u>Biochem. & Biophys. Res. Comm.</u> 187:1579-1586 (1992) |
| *68 | von Heijne, G., "A new method for predicting signal sequence cleavage sites" <u>Nucl. Acids. Res.</u> 14:4683-4690 (1986) |
| *69 | Wilks, "Two putative protein-tyrosine kinases identified by application of the polymerase chain reaction" <u>Proc. Natl. Acad. Sci. USA</u> 86:1603-1607 (1989) |



Examiner

Date Considered

7.26.00

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.